

Anaphylaxis in Children - Emergency Care Hospital (inpatient/further care)

Key Document code:	WAHT-TP- 053	
Key Documents Owner:	Dr Tom C Dawson	Consultant Paediatrician
Approved by:	Paediatric Quality Improvement meeting	
Date of Approval:	26 th March 2021	
Date of review: This is the most current version and should be used until a revised document is in place	26th March 2024	

Key Amendments

Date	Amendment	Approved by
26 th March 2021	Approved with no amendments	Paediatric QIM

Emergency Care Hospital (inpatient/further care)

Ref	Pathway Stage	Competence
3	Emergency Care: Hospital (inpatient/further care)	<p>Know</p> <ul style="list-style-type: none"> To record any suspected triggers (21) To observe the patient, ideally for at least 6 hours (21), and understand the potential for biphasic reactions To refer to an allergy clinic (27-29) directly, via the GP using a local clinic or by checking the BSACI website <p>Be able to</p> <ul style="list-style-type: none"> Provide ongoing observation and treatment of the episode Provide a basic prevention and treatment package that includes <ul style="list-style-type: none"> Basic avoidance advice based on the suspected trigger(s) Provision and training in the use of an adrenaline injector (21-23, 27, 30, 31) Provide access to patient/parent/carer support group information