PHYSIOTHERAPY PATHWAY WAHT-TP-011

Stroke Positioning Pathway

Lying Supine (On Back)

Owner:	Stephanie Flint, Clinical Lead Physiotherapist for Stroke Neuro-Rehab and Oncology	
Approved by	Therapies Clinical Governance Approval Group	
Approval Date	29 th March 2023	
Review Date	29 th March 2026	
	This is the most current document and should be used until a revised version is in place	

Key Amendments

Date	Amendments	Approved by:
25 th January 2023	Document extended to 30 th June 2023 whilst under review.	Dr J Trevelyan/ Benjamin
		Thomas
March 2023	Document re-approved for 3 years	Therapies Clinical
		Governance Approval
		Group

PHYSIOTHERAPY PATHWAY WAHT-TP-011



HEAD: Lower two pillows placed flat on the bed, as a triangle, supporting head, shoulders and upper arm. Top pillow place across triangle to support head and upper shoulders. Head should be in a neutral position, try to prevent the head rolling / turning to one side.

ARM: The hemiplegic arm must be supported throughout its length. Lower pillow should elevate the lower arm. Ensure the shoulders are placed forward of the body. Elbow placed comfortably across the body or fully supported on a pillow.

TRUNK: Should be straight and flat on the bed. When using a profiling bed be aware of changes in the position of the trunks and hips. Support with a pillow to maintain a trunk position.

LEG: Hemiplegic leg can be supported on a pillow, with some hip and knee flexion as in the photo or flat on the bed. Other leg straight.

If the patient is on an air mattress this may be adjusted to allow hip and knee flexion.

FOOT: Use splints if recommended to maintain good position of the foot and ankle.

It may be necessary to ensure the heel is free if tissue viability is an issue.

Page 2 of 2 This information should be used in conjunction with the Physiotherapy Pathway WAHT-TP-011. Use the version on the internet to ensure the most up to date information is being used.