

It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

Guideline for the non-operative management of Posterior Cruciate Ligament (PCL) ruptures

This guideline does not override the individual responsibility of health professionals to make appropriate decision according to the circumstances of the individual patient in consultation with the patient and /or carer. Health care professionals must be prepared to justify any deviation from this guidance.

INTRODUCTION

This guideline covers the non-operative management of patients with a PCL rupture treated within Worcestershire Acute Hospitals NHS Trust. All patients with a PCL rupture should be referred to physiotherapy for rehabilitation which will be informed by this guideline.

THIS GUIDELINE IS FOR USE BY THE FOLLOWING STAFF GROUPS:

Qualified physiotherapists with appropriate experience of managing musculoskeletal/ orthopaedic conditions

Lead Clinician(s)

Michael Mundy Senior Physiotherapist

Approved by Physiotherapy clinical governance

7th February 2024

on:

Review Date: 7th February 2027

This is the most up to date document and should be used until a revised version is in place

Key amendments to this document

Date	Amendment	Approved by:
June 2021	New document	Physiotherapy
		Governance
7 th February	Document reviewed and extended for 3 years with no	Physiotherapy
2024	amendments	Governance

Posterior Cruciate Ligament (PCL) non-operative guideline				
WAHT-TP-011		Page 1 of 12		Version 2

Worcestershire
Acute Hospitals

It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

Posterior Cruciate Ligament (PCL) Rupture Non-Operative Guideline

INTRODUCTION

This guideline covers the non-operative management of PCL ruptures within the Worcestershire Acute Hospitals Trust. A large proportion of PCL ruptures will be able to avoid surgical intervention with appropriate conservative management. This involves the use of bracing, following specific precautions and graded exposure to activity. This document exists to guide this process using the best current evidence.

Time	Precautions	Goals	Exercise examples
Following surgery			
Phase 1 (0-6	Swelling management Avoid hyperextension (12	Protect PCL ligament	Prone passive ROM from 0-90 (2/52) – then ROM as tolerated
weeks)	weeks) Prevent posterior tibial translation (12 weeks)	Manage swelling Patient education	Glut strengthening
	Avoid isolated hamstring exercises for 12 weeks		Calf stretches/loading
	WB – PWB 2/52 ROM – Prone passive ROM	Maintain muscle length/strength	Core/Upper limb strengthening
	from 0-90 for 2/52, then full ROM as tolerated	Address gait mechanics	Regular static quads/Straight leg raise (when no lag)
	Brace – PCL jack brace to be worn at all times, including sleep for a minimum of 12 weeks.		Isometric quads in a variety of ranges (after 2/52 and only up to 70 degrees flexion)
			Patella mobilisations
			Stationary bike when ROM >115 degrees (no resistance)
			Early proprioceptive work/static single leg stance (after 2/52)
Phase 2 (6-12	Continue to prevent posterior tibial translation	Protect PCL ligament	Double leg press/squat variations
weeks)	Continue to avoid hyperextension Continue to avoid isolated	Full ROM Address gait mechanics	Double leg knee extension 0-70 degrees
	hamstring exercises Avoid loading beyond 70 degrees flexion WB - Progress to WB as	Double leg loading through ROM (no greater than 70 degrees flexion)	Hamstring bridges on ball (knees must be extended)
	tolerated ROM – Full ROM allowed	and isometric single leg loading.	Straight knee deadlifts
	Brace – Wear at all times		Light kicking in pool
			Calf/hamstring stretching

	Posterior Cruciate	Ligament (PCL) non-o	perative guideline	
WAHT-TP-011		Page 2 of 12		Version 2



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

	Progress resistance on stationary bike
	Incline treadmill walking
	Progress proprioceptive work (Bilateral Bosu/tandem stand etc, unilateral static only)

After 12 weeks continue rehabilitation following the ACL guideline – begin at phase 2 and progress as able. Isolated hamstring exercises and loading beyond 70 degrees (bilateral to unilateral as control allows) can begin at this point.

The patient should have a clinic review after 12 weeks to assess PCL healing/laxity. Provided there are no complications, the consultant will normally allow you to start weaning the brace at this point.

Key: OKCQ - Open kinetic chain quads, WB - Weight bearing, PWB - Partial weight bearing, ROM - Range of movement

Posterior Cruciate Ligament (PCL) non-operative guideline			
WAHT-TP-011		Page 3 of 12	Version 2



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

Monitoring Tool

This should include realistic goals, timeframes and measurable outcomes.

How will monitoring be carried out?

Who will monitor compliance with the guideline?

Page/ Section of Key Document		Checks to be carried out to confirm compliance with the policy:			Results of check reported to: (Responsible for also ensuring actions are developed to address any areas of non-compliance)	Frequency of reporting:
	WHAT?	HOW?	WHEN?	WHO?	WHERE?	WHEN?
	General adherence to the guideline	As part of the out-patient notes audit in therapy	Yearly	Senior Physiotherapists	Clinical governance for therapies	Once per year, after the notes audit.

	tive guideline	
WAHT-TP-011	Page 4 of 12	Version 2



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

REFERENCES

Pache S, Aman ZS, Kennedy M, et al. Posterior Cruciate Ligament: Current Concepts Review. *Arch Bone Jt Surg.* 2018;6(1):8-18.

Pierce, C., O'Brien, L., Griffin, L. and LaPrade, R., 2012. 'Posterior cruciate ligament tears: functional and postoperative rehabilitation', *Knee Surg Sports Traumatol Arthrosc*

Senese M, Greenberg E, Todd Lawrence J, Ganley T. Rehabilitation following isolated posterior cruciate ligament reconstruction: a literature review of published protocols. *Int J Sports Phys Ther.* 2018;13(4):737-751.

Wang, J Graziano, et al, Nonoperative Treatment of PCL Injuries: Goals of Rehabilitation and Natural History of Conservative Care. Current reviews in Musculoskeletal Medicine (2018) 11:290-297

	Posterior Cruciate	Ligament (PCL) non-o	perative guideline	
WAHT-TP-011		Page 5 of 12		Version 2



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

Contribution List

This key document has been circulated to the following individuals for consultation;

Designation Michael Mundy – Senior Physiotherapist
Michael Mundy – Senior Physiotherapist

This key document has been circulated to the chair(s) of the following committee's / groups for comments;

Committee
Mr Pearse - Orthopaedic Consultant
Mr Aslam - Orthopaedic Consultant
Mr Mathur - Orthopaedic Consultant
Physiotherapy Departments (Outpatients WRH/Alex/Kidderminster)

Posterior Cruciate Ligament (PCL) non-operative guideline				
WAHT-TP-011		Page 6 of 12		Version 2



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

Supporting Document 1 - Equality Impact Assessment Tool

To be completed by the key document author and included as an appendix to key document when submitted to the appropriate committee for consideration and approval.

Please complete assessment form on next page;

Posterior Cruciate Ligament (PCL) non-operative guideline				
WAHT-TP-011		Page 7 of 12		Version 2



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet





Herefordshire & Worcestershire STP - Equality Impact Assessment (EIA) Form Please read EIA guidelines when completing this form

	1 10000 1	044 2 17 (garaon		g	
Section 1 - Name of	Organisatio	n (please ti	ck)			
Herefordshire & Wo	Worcestershire Acute Hospitals		Here	fordshire Council	Herefordshire CCG	
Worcestershire Acu NHS Trust			Word	estershire County	Worcestershire CCGs	
Worcestershire Hea	alth and Care)	Wye	Valley NHS Trust	Other (please state)	
		l l		1		
Name of Lead for	Activity	Mic	chael M	undy		
Details of						
individuals	Name			Job title	e-mail contact	
completing this assessment	Michael N	Michael Mundy		Senior Physiotherapist	Michael.mundy@nhs.net	
				<u>I</u>		
Date assessment completed	17/05/2021					
•						
Section 2						
Activity being asses policy/procedure, documen redesign, policy, strategy e	t, service	Title: PCL no	n-opera	itive guideline		
What is the aim, pur and/or intended out this Activity?	•	To impr	ove qua	ality of PCL non-opera	tive rehabilitation	

	Posterior Cruciate	Ligament (PCL) non-o	perative guideline	
WAHT-TP-011		Page 8 of 12		Version 2

☐ Review of an existing activity

Staff

Communities

Other

Service User

Patient

Carers

Visitors

Who will be affected by the

of this activity?

Is this:

development & implementation



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

	□ New activity□ Planning to withdraw or reduce a service, activity or presence?
What information and evidence have you reviewed to help inform this assessment? (Please name sources, eg demographic information for patients / services / staff groups affected, complaints etc.	Pache S, Aman ZS, Kennedy M, et al. Posterior Cruciate Ligament: Current Concepts Review. <i>Arch Bone Jt Surg.</i> 2018;6(1):8-18. Pierce, C., O'Brien, L., Griffin, L. and LaPrade, R., 2012. 'Posterior cruciate ligament tears: functional and postoperative rehabilitation', <i>Knee Surg Sports Traumatol Arthrosc</i> Senese M, Greenberg E, Todd Lawrence J, Ganley T. Rehabilitation following isolated posterior cruciate ligament reconstruction: a literature review of published protocols. <i>Int J Sports Phys Ther.</i> 2018;13(4):737-751. Wang, J Graziano, et al, Nonoperative Treatment of PCL Injuries: Goals of Rehabilitation and Natural History of Conservative Care. Current reviews in Musculoskeletal Medicine (2018) 11:290-297 Trust ACL protocol – see references within protocol
Summary of engagement or consultation undertaken (e.g. who and how have you engaged with, or why do you believe this is not required)	Use of this document will be entirely based on clinical diagnosis.
Summary of relevant findings	N/A

Section 3

Please consider the potential impact of this activity (during development & implementation) on each of the equality groups outlined below. Please tick one or more impact box below for each Equality Group and explain your rationale. Please note it is possible for the potential impact to be both positive and negative within the same equality group and this should be recorded. Remember to consider the impact on e.g. staff, public, patients, carers etc. in these equality groups.

Equality Group	Potential positive impact	Potential neutral impact	Potential negative impact	Please explain your reasons for any potential positive, neutral or negative impact identified
Age		х		luentineu
Disability		х		
Gender Reassignment		x		
Marriage & Civil Partnerships		х		

	Posterior Cruciate	Ligament (PCL) non-o	perative guideline	
WAHT-TP-011		Page 9 of 12		Version 2



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

Equality Group	Potential positive impact	Potential neutral impact	Potential negative impact	Please explain your reasons for any potential positive, neutral or negative impact identified
Pregnancy & Maternity		х		
Race including Traveling Communities		х		
Religion & Belief		х		
Sex		х		
Sexual Orientation		х		
Other Vulnerable and Disadvantaged Groups (e.g. carers; care leavers; homeless; Social/Economic deprivation, travelling		x		
Health Inequalities (any preventable, unfair & unjust differences in health status between groups, populations or individuals		x		
that arise from the unequal distribution of social, environmental & economic conditions within societies)				

Section 4

What actions will you take to mitigate any potential negative impacts?	Risk identified	Actions required to reduce / eliminate negative impact	Who will lead on the action?	Timeframe
	N/A			
How will you monitor these actions?				

Posterior Cruciate Ligament (PCL) non-operative guideline					
WAHT-TP-011		Page 10 of 12		Version 2	



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

When will you review this
EIA? (e.g in a service redesign, this
EIA should be revisited regularly
throughout the design & implementation)

<u>Section 5</u> - Please read and agree to the following Equality Statement

1. Equality Statement

- 1.1. All public bodies have a statutory duty under the Equality Act 2010 to set out arrangements to assess and consult on how their policies and functions impact on the 9 protected characteristics: Age: Disability: Gender Reassignment; Marriage & Civil Partnership: Pregnancy & Maternity; Race; Religion & Belief; Sex; Sexual Orientation
- 1.2. Our Organisations will challenge discrimination, promote equality, respect human rights, and aims to design and implement services, policies and measures that meet the diverse needs of our service, and population, ensuring that none are placed at a disadvantage over others.
- 1.3. All staff are expected to deliver services and provide services and care in a manner which respects the individuality of service users, patients, carer's etc, and as such treat them and members of the workforce respectfully, paying due regard to the 9 protected characteristics.

Signature of person completing EIA	M.Mundy
Date signed	07/02/24
Comments:	
Signature of person the Leader Person for this activity	M.Mundy
Date signed	07/02/24
Comments:	

























Posterior Cruciate Ligament (PCL) non-operative guideline				
WAHT-TP-011		Page 11 of 12		Version 2



It is the responsibility of every individual to ensure this is the latest version as published on the Trust Intranet

Supporting Document 2 – Financial Impact Assessment

To be completed by the key document author and attached to key document when submitted to the appropriate committee for consideration and approval.

	Title of document:	Yes/No
1.	Does the implementation of this document require any additional Capital resources	No
2.	Does the implementation of this document require additional revenue	No
3.	Does the implementation of this document require additional manpower	No
4.	Does the implementation of this document release any manpower costs through a change in practice	No
5.	Are there additional staff training costs associated with implementing this document which cannot be delivered through current training programmes or allocated training times for staff	No
	Other comments:	

If the response to any of the above is yes, please complete a business case and which is signed by your Finance Manager and Directorate Manager for consideration by the Accountable Director before progressing to the relevant committee for approval

Posterior Cruciate Ligament (PCL) non-operative guideline				
WAHT-TP-011		Page 12 of 12		Version 2