

Paediatric Pathway Contents page

ALLERGY

Guidelines/Policies

- ❖ Administration of Adrenaline Auto-injector Devices SOP
- Administration of Subcutaneous Immunotherapy SOP
- Adrenaline Auto-Injector Checklist
- Eczema
- GP referral form for IgE mediated Food Allergy
- Guideline for Paediatric Allergy Skin Prick Testing
- Guideline for the Administration of Allergen Immunotherapy: Subcutaneous Immunotherapy (SCIT) and Sublingual Immunotherapy (SLIT) in Paediatrics
- IgE-Mediated Egg Allergy Guideline
- In Hospital Oral Food Challenge Guideline
- Investigation, Diagnosis and Management of Chronic Urticaria in Childhood
- Milk Management Guideline
- OMALIZUMAB Therapy Pathway for patients considered for Omalizumab injections Appendix 2
- OMALIZUMAB Therapy in Children and Young People
- Paediatric Penicillin Allergy Diagnosis and Delabelling by Non-Allery Specialists
- Procedure for sublingual immunotherapy (SLIT)
- Supervised Feed Guideline for Children

Anaphylaxis in Children

- Ambulance Service/Primary Care
- Emergency Care Hospital (initial)
- Emergency Care Hospital (inpatient/further care)
- RCPH Anaphylaxis Care Pathway: Competences
- Self Care

Patient Information

- Allergen Immunotherapy
- Omalizumab for the treatment of Chronic Spontaneous Urticari
- Your Allergic Rhinitis Plan
- Your Sublingual Immunotherapy Treatment
- > After your drug challenge



- > Discharge advice following a negative oral food challenge or supervised feed
- Discharge advice following a positive oral food challenge or supervised feed
- Emergency Treatment of Food Protein Induced Enterocolitis (FPIES) Reactions
- Food Challenge Infant and Young Children
- Food Challenge Young Person
- Food Challenge Test
- Home baked Egg Introduction scrambled egg
- Home baked Egg Introduction
- Home Introduction of Cow's Milk
- Introducing Nuts at Home a guide for parents
- Milk Oral Immunotherapy
- ➤ Pollen Food Syndrome

External Links

- Nasal Douching –bsaci SOP
- Topical Nasal Corticosteroid Spray bsaci SOP
- Food Allergy
- Paediatric Allergy Action Plans (Allergy plan not requiring adrenaline autoinjector)
- Paediatric Allergy Action Plans (Epipen and Jext action plans)
- Paediatric Allergy Action Plans (Medical authorisation for travel)
- The Milk Allergy in Primary Care (MAP) Guideline 2019
- What is Oral Allergy Syndrome (OAS)?

ANAESTHETICS

- Acute pain management in children
- Nil by mouth (NBM) and peri operative medicines use
- ❖ Post Op Nausea and Vomiting (refer to PIP guidelines)



BREATHING - RESPIRATORY DISEASE

Guidelines/Policies

- Asthma 2022-2024(refer to PIP guidelines)
- Bronchiolitis
- Croup (refer to PIP guidelines)
- Guideline for the delivery of nebulised medication
- Guideline for the use of High Flow Nasal Cannula Oxygen Therapy (Optiflow or Airvo) in children with Bronchiolitis or an acute respiratory illness
- Guidelines for the Prevention of Cross Infection in Children and Young People with Cystic Fibrosis
- Guidelines/Standards for the Management of Children & Young people with Wet Cough/PBB and Bronchiectasis
- ❖ Management of Acute Asthma/Wheeze in Children >2years Guideline
- OMALIZUMAB therapy in children and young people
- Pleural effusion (refer to PIP guidelines)
- Pneumonia (refer to PIP guidelines)
- Pneumothorax (refer to PIP guidelines)
- Prescribing, monitoring and administration of oxygen in paediatrics
- Undertaking spirometry testing in paediatrics

Patient Information

Smoking Cessation Information Leaflet for Parents of Children with Asthma

CARDIOVASCULAR DISEASE

PIP Guidelines

- Cyanotic Congenital Heart disease (refer to PIP guidelines)
- ECG interpretation (refer to PIP guidelines)
- Endocartis prophylaxis (refer to PIP guidelines)
- Heart failure and weak pulses (refer to PIP guidelines)
- Tachycardia and Bradycardia (refer to PIP guidelines)



CRITICAL CARE

Guidelines/Policies

- Administration of Entonox
- ❖ APLS-Recognition and assessment of the sick child (refer to PIP guidelines)
- APLS Cardiorespiratory arrest (refer to PIP guidelines)
- Intraosseous infusion (refer to PIP guidelines)
- Investigation of Sudden and Unexpected Death in Children under 18 years
- Long line insertion (refer to PIP guidelines)
- Management of Brief Resolved Unexplained Episode (BRUE)
- Monitoring of ex-premature infants (refer to PIP guidelines)
- Notification of Child Death Form
- ❖ Paediatric Critical Care Unit Level 1 Worcestershire Acute Hospitals Trust
- ❖ Paediatric resuscitation, stabilisation retrieval and transfer (Guideline)
- Pain assessment (refer to PIP guidelines)
- Pre-op fasting (refer to PIP guidelines)
- Standard Operating Procedure for Time Critical Patients
- Supporting the family of a child/young person who is critically ill
- ❖ KIDS Drug Calculator

Patient Information

MRI under oral sedation

DRUGS AND POISONING

PIP Guidelines

Poisoning and drug overdose (refer to PIP guidelines)



ENDOCRINE AND METABOLISM

- A guide to Managing Adrenal Insufficiency and Steroid Replacement in Children and Young People
- BSPED Guideline for the Management of Children and Young People under the age of 18 years with Diabetic Ketoacidosis
- Continuous Glucose monitoring for guideline for children and young people with Diabetes
- Diagnosis and Management of Type 2 Diabetes (T2DM) in Children and Young People (CYP): Clinical Practice Guideline
- Failure to attend for children and young people with diabetes
- Guidance on Management of children and young person with newly diagnosed type 1 Diabetes
- Hypoglycaemia (refer to PIP guidelines)
- Hypoglycaemia in children with type 1 diabetes
- Insulin Pump Therapy Guideline for Children and Young People with Diabetes
- Integrated Care Pathway for the management of children and young people with Diabetic Ketoacidosis
- Management of children and adolescents with Diabetes requiring surgery
- Newly Diagnosed Type 1 Diabetic Checklist
- Operational Policy for the Children and Young People with Diabetic Multidisciplinary Team (MDT)
- Paediatric and adolescent diabetes with high HbA1c
- Paediatric and adolescent Diabetes transitional care
- Paediatric Diabetes sick day management /Hyperglycaemia and Ketosis in the community
- Paediatric Insulin Adjustment in the Well young person with Diabetes
- Short Synacthen Test: Paediatrics
- Steroid dependence (refer to PIP guidelines)
- Supporting children with diabetes in school CWPWMDN
- Supporting Children with Diabetes in School Joint document Worcestershire Acute Hospitals Trust and Worcestershire County Council
- Weight Management Guideline



Patient Information

- Diabetes Education Leaflets Given on Ward at Diagnosis
 - Paediatric Diabetes What is Type 1 Diabetes?
 - Paediatric Diabetics Worcestershire Paediatric Diabetes Service
 - Blood Monitoring and Carbohydrate Diary
 - Carbohydrate Counting and Insulin Dose Adjustment
 - Carbohydrate Counting Reference Tables
 - Dietary Advice for Children and Young People with Diabetes Carbohydrate Estimation
 - o Dietary Advice for Children and Young People with Diabetes Household Measures
 - Dietary Management Snacks
 - o Hypoglycaemia Initial Advice on How to treat Low Blood Glucose Levels
 - Initial Dietary Advice for Children and Young people with Diabetes
 - o Paediatric Clinical Psychology and Diabetes
 - Paediatric Diabetes Blood Glucose Monitoring
 - Paediatric Diabetes Disposal of Sharps
 - Paediatric Diabetes Healthy Eating
 - Paediatric Diabetes How I look after my Diabetes at School
 - o Paediatric Diabetes Insulin Injections
 - Paediatric Diabetes Receiving a Good Service from your Paediatric Diabetes Team
- Additional Leaflets for Diabetes Education
 - o Paediatric Diabetes HbA1c
 - Paediatric Diabetes Annual Review
 - Paediatric Diabetes Complications of Diabetes
 - Paediatric Diabetes Disability Living Allowance
 - Paediatric Diabetes Flu Vaccine
 - Paediatric Diabetes Footcare
 - o Paediatric Diabetes Illness and Diabetes using Insulin Pump Therapy
 - o Paediatric Diabetes Illness and Diabetes using Multiple Daily Insulin Injections
 - Paediatric Diabetes Insulin Pump Therapy Systems
 - Paediatric Diabetes Medtronic 780G pump



- Paediatric Diabetes Sick Day Rules Omnipod 5
- Paediatric Diabetes Tandem t:slim pump
- Paediatric Diabetes Travel Advice
- o Paediatric Diabetes Wearing Identification
- o Paediatric Diabetes What happens on Clinic
- Paediatric Diabetes Ypsomed MyLife CanAPS pump
- Teenage Diabetes Information Leaflets
 - Adults Diabetes Centre -Worcestershire Royal Hospital Directions
 - My transition plan Get Up
 - My transition plan Go
 - My transition plan Set Up
 - Paediatric Diabetes Diabetes and Careers
 - o Paediatric Diabetes Driving
 - o Paediatric Diabetes Exams and Stress
 - o Paediatric Diabetes Leaving Home
 - o Paediatric Diabetes Moving up to Adult Service Redditch and Bromsgrove
 - o Paediatric Diabetes Smoking and Diabetes
 - o Paediatric Diabetes Worcestershire Diabetes Service Moving up to Adult Service
 - Paediatric Diabetes Worcestershire Diabetes Service Moving up to Adult Service (Wyre Forest)
 - Paediatric Diabetes Working together for the best outcomes: Managing Disagreements or Conflict
 - Parent Information Encouraging independence in your son or daughter
 - Parent Information Transition to Adult Diabetes Service: What's it all about?
 - Young Person's Information Emotional Wellbeing Support in Adulthood
 - Young Person's Information Negotiating Independence
 - Young Person's Information What's the difference between the Paediatric and the Adult Diabetes Service

External Links

- o BSPED Patient Information
- ESPE-European Society for Paediatric Endocrinology -English Information Booklets
- SPEG



- Healthy weight advice- patient information
- Short Synacthen Test: Paediatrics

Paediatric DKA Calculator

GASTROENTEROLOGY

PIP Guidelines

- Abdominal pain (refer to PIP guidelines)
- Failure to thrive (refer to PIP guidelines)
- Jaundice (refer to PIP guidelines)
- Nutritional first line advice (refer to PIP guidelines)
- Vitamin D deficiency (refer to PIP guidelines)

Patient Information – External Links

- Gastro-oesophageal reflux
- > Constipation in children
- Coeliac disease

HAEMATOLOGY AND ONCOLOGY

- Blood Transfusion Policy
- Care pathway for children and young persons with febrile neutropenia, neutropenic sepsis or suspected central venous line infections
- Guideline for safe administration of Chemotherapy for malignant disease in Paediatrics
- Henoch-schonlein purpura (refer to PIP guidelines)
- Implanted central venous access device (alternatively called a port) in children
- Management of acute presentation of primary Immune Thrombocytopenia (ITP) in children
- Routine Pregnancy Testing Information for Young People Receiving Systemic Anti-Cancer Treatment (SACT)
- Skin tunnelled central venous catheters in children



Birmingham Children's Hospital policies

- CCLG and Birmingham Women's and Children's Hospital Guideline on the Management of Chemotherapy Induced Nausea and Vomiting
- Guideline for the Management of Tumour Lysis Syndrome
- Guideline for the prevention, recognition and management of fever in Children and Young People with Cancer
- Guideline for the use of personal protective equipment
- Guidelines for immunisation of children following treatment with high dose chemotherapy and Haematopoietic Stem Cell Transplantation (HSCT)
- Guideline for the Administration of Chemotherapy for Malignant Disease
- Guideline for the immunisation of Children following treatment with Standard-dose Chemotherapy
- Guidelines for the Prevention and Management of Chemotherapy and Radiotherapy induced Diarrhoea
- Paediatric Oncology Services Policies-Cover Letter
- Policy for Minimising the Risk and Management of Extravasation and Phlebitis
- Policy for Pregnancy Testing and Contraception for Pregnancy Prevention before Surgery, X-Ray/Diagnostics, Radiotherapy/Chemotherapy and Treatment with Medicines of Teratogenic Potential
- Policy for the administration of systemic anti-cancer therapy (SACT) for malignant disease
- Policy for the Care and Management of central venous catheters
- Policy for the care and management of ports

Others

- Information for Teenage Girls Receiving Chemotherapy: Why am I being asked to do a pregnancy test?
- Oncology Services Leaflet
- Information for Teenage Girls Receiving Chemotherapy Why am I being asked to do a pregnancy test?



INFECTIOUS DISEASES

- Antibiotic Prescribing in the Paediatric Directorate
- ❖ BCG Combined with Network guideline 2022-24
- BCG Vaccine Administration Competencies
- Hepatitis B and C (refer to PIP guidelines)
- HIV and hepatitis B post exposure (refer to PIP guidelines)
- HIV testing (refer to PIP guidelines)
- Immunodeficiency (refer to PIP guidelines)
- Initial Management of Suspected Bacterial Meningitis
- ❖ Kaiser Permanante Sepsis Risk Calculator Network Guideline 22/24
- ❖ Kaiser Permanante Sepsis Risk Flowchart BWH
- Kawasaki disease (refer to PIP guidelines)
- Malaria (refer to PIP guidelines)
- Management of sepsis in infants and children
- Meningitis NICE Guidance
- Notifiable infectious diseases and food poisoning (refer to PIP guidelines)
- Orbital Cellulitis 2022-2024 (refer to PIP guidelines)
- Osteomyelitis and Septic Arthritis (refer to PIP guidelines)
- ❖ Paediatric Nursing protocol for the administration of immunisations to a child
- Petechial/ Purpuric Rashes (refer to PIP guidelines)
- Preseptal and Orbital Cellulitis in Children
- Reducing the Risk of Group B Streptococcal Infection Local Guideline
- Tuberculosis NICE Guidance



MISC

Guidelines/Policies

- Admission of Children and Young People to the Inpatient ward at Worcestershire Acute Hospitals NHS Trust
- Children's collaborative advance care plan policy
- Outlining the rights of children in hospital
- Paediatric Intravenous Fluid Guidelines
- Paediatric Trigger List
- Policy for Clinical Supervision of temporary or locum members of Junior Paediatric staff
- Responsibility of the Consultant Paediatrician on call
- Restrictive physical intervention (Restraint) and clinical holding for children and young people
- The Top 10 conditions which children & young people present to urgent care with
- Transfer of Paediatric Patients within and outside of WAHT

Patient Information

- Discharge Advice for parents
- Idiopathic Toe Walking
- Toe Walking in ASD/ADHD
- What is a Chaperone poster
- Chaperones and Children
- Oral rehydration salts
- Positional Plagiocephaly
- > Treating Haemangiomas with Propranolol

Checklists

- > Daily Handover and Safety Checks Transitional Care Unit
- Paediatric SitRep to be taken to Capacity Hub



NEUROLOGY

Guidelines/Policies

- ❖ Acute Ataxia in children (WRH adopted from BCH Guideline)
- Early Epileptic Encephalopathy Epilepsy in Infants less than Six Months (WRH adopted from BCH Guideline)
- Emergency Rescue Medication for Children with Epilepsy
- Epilepsy Transition
- Epileptic Spasms; clinical guideline for diagnosis, investigation and management (WRH adopted from BCH Guideline))
- Facial palsy (refer to PIP guidelines)
- Glasgow coma score (refer to PIP guidelines)
- Guidelines for Status Epilepticus
- Head Injury Early Management in Children
- ILAE Seizure Classification
- Inpatient Management of Patients On Ketogenic Diet
- Neuromuscular disorders (refer to PIP guidelines)
- ❖ Paediatric Seizure Chart
- Referral Pathways for "Fits, Faints and Funny Turns" in Children and Young People <17 years of age

Patient Information – External Links

- > About epilepsy in children
- > For young people

External Documents

- BPNA, OPEN UK and RCPCH Update for Valproate Prescribing in Paediatric Neurology
- Information of the risks of Valproate use in all patients
- Prescribing valproate to female patients under 18 years of age



PAEDIATRIC NURSING

Guidelines/Policies

- 24 Hour Triage Rapid Assessment and Access Toolkit for Children and Young People V2 (2020) Log Sheet
- Care after death
- Competency Framework Children's Support Worker/ HCA
- Competency Framework- Children's Nursing Preceptorship
- Discharge of Children and Young People from inpatient ward at Worcestershire Acute Hospitals NHS Trust
- Flowchart for an Absconding Child/Young Person
- Guideline for the use of nasal continuous positive Airway pressure (CPAP) in the management of bronchiolitis in infants up to age 6 months
- Inserting, managing and removing peripheral vascular devices
- IV Fluid Therapy 2022-2024 (refer to PIP guidelines)
- LAT gel for wound closure in children within the Emergency Department
- Nursing Management of Nephrotic Syndrome
- Operational policy for Paediatric Bed Management including Full Capacity management and Nurse Staffing Escalation
- Paediatric and NNU Peripheral Vascular Devices (PVD) Record
- Paediatric Assessment Unit Standard Operation Policy
- Paediatric Priority Scoring for isolation
- Paediatric Rapid Tranquilisation Guideline
- Paediatric, Monitoring and Observation
- Policy on Chaperoning Infants, Children and Young People
- Staff Competencies Second checker for paediatric chemotherapy administration Children's Clinic
- ❖ We're here to talk, It's okay to ask

Patient Information

- Nasogastric (NG) Tubes for Paediatrics
- Unexplained Injury (Including bruises) in Children less than 2 years of age



PROCEDURES

- Lumbar Puncture Guideline
- Managing Anxious Children and Young People for Surgery
- Operational Policy for Children's Day Surgery at Kidderminster Treatment Centre
- Sedation of Children and Young People
- Undertaking Capillary Blood Sampling in Paediatrics
- Venepuncture in paediatrics

RENAL

Guidelines/Policies

- ❖ Haemolytic uraemic syndrome (refer to PIP guidelines)
- Hypertension (refer to PIP guidelines)
- Investigation and Management of Antenatal Diagnosis of Renal Pelvic Dilation Local Guideline
- Nephrotic syndrome (refer to PIP guidelines)
- Nocturnal enuresis
- Renal calculi (refer to PIP guidelines)
- Renal investigations (refer to PIP guidelines)

Patient Information

Urinary Tract Infection (UTI)

RHEUMATOLOGY

PIP Guidelines

- Arthritis (refer to PIP guidelines)
- Limping child (refer to PIP guidelines)



SAFEGUARDING

Guidelines/Policies

- CAMHS/CRISIS Supervision Checklist
- Chain of Evidence Form
- Change to number for Children and Young People's Sexual Assault Referral Service in the West Midlands region
- Escalation of inappropriate behaviour
- Flow Chart for an Absconding Child/Young Person
- Investigation of Sudden and Unexpected Deaths in Children Under 18 Years
- Notification of Child Death Form
- Physical Injures: A Safeguarding Children Briefing
- Self-harm (refer to PIP guidelines)
- SUDIC Flowchart for SUDIC Nurse On Call
- ❖ Worcestershire Children and Young People's Multiagency Urgent Mental Health Care Pathway

External Links

SUCEP Action- Making every epilepsy death count

SURGERY

- Blended Model of Nursing for Children's Day Surgery
- Guideline for paediatric general surgery
- Guidelines for operating on Ear, Nose & Throat (ENT) patients, children and young people
- KIDS clinical guideline: Fluid and electrolyte therapy
- Managing Anxious Children and Young People for Surgery
- Nil By Mouth (NBM) and Peri-operative Medicines Use Guideline
- Operational Policy for Children's Day Surgery at Kidderminster Treatment Centre
- Paediatric Perioperative and Recovery Unit Guidelines
- ❖ Paediatric Preoperative Anxiolytic Medication
- ❖ Paediatric Pre-Operative Assessment Guidelines
- Sedation of Children and Young People



Patient Information

- Adenoidectomy
- Children and Young People Admission to Kidderminster Treatment Centre
- Circumcision (Child)
- Dental Extractions Advice
- Eye Surgery
- > Hydrocele
- Inguinal Herniotomy/Hydrocoele Ligation (Child)
- Myringotomy and Grommets
- Orchidopexy
- > Prepuceplasty
- Prepucioplasty (Child)
- > Repair of an Umbilical Hernia (Child)

DOCUMENTS

- GP Template Proforma Transition Key Information
- Transition of Care Policy for Young People to Adult Services

EXTERNAL LINKS

Eolas Medical