

Neonatal Key Documents Contents Page

Admission and Discharge

- Admission of babies to the Neonatal Unit, Transitional Care Unit and Post Natal Wards at WRH- Combined with Network guideline 2022-24
- Community Prescribing Letter
- Death and Seriously ill Babies - Network guideline 2022-24
- Discharge from Neonatal Unit - Network guideline with amendments 2022-24
- Follow-up of babies discharged from Neonatal Unit - Network guideline with amendments 2022-24
- Labour ward calls - Combined with Network guideline 2022-24
- Neonatal Nursing Procedure for Admission to the Neonatal Unit - Local Guideline
- Neonatal Nursing Procedure for Teaching Parents Basic Resuscitation Skills - Local Guideline
- Neonatal Trigger List
- Transport and Retrieval - Network guideline 2022-24

Cardiovascular

- Cardiac Murmurs - Network guideline 2022-24
- Congenital Heart Disease (CDH): Duct-dependent Lesions (Including HLHS) -Network guideline 2022-24
- ECG Abnormalities - Network guideline 2022-24
- Heart Failure - Network guideline 2022-24
- Hypertension - Network guideline 2022-24
- Hypotension - Network guideline 2022-24
- Patent Ductus Arteriosus - Network guideline with amendments 2022-24
- Pericardiocentesis - Network guideline 2022-24
- Supraventricular Tachycardia - Network guideline 2022-24
- Vascular Spasm and Thrombosis - Network guideline 2022-24

Critical Care

- Babies born at Margins of Viability - Network guideline with amendments 2022-24
- Contacting a Consultant - Network guideline with amendments 2022-24

- Delayed cord clamping - Combined with Network guideline 2022-24
- Dropped Baby - Network guideline with amendments 2022-24
- Environmental Humidity for premature babies - Local Guideline
- Golden Hour- Preterm babies <28 weeks' gestation - Network guideline with amendments 2022-24
- Hydrops Fetalis - Network guideline 2022-24
- Investigation of Sudden and Unexpected Deaths in Children Under 18 Years
- Massive Haemorrhage - Network guideline 2022-24
- Neonatal Difficult Airway Escalation - Local Pathway
- NEWTT Chart - Back
- NEWTT Chart- Front
- Pain Assessment and Management - Network guideline 2022-24
- Resuscitation - Network guideline 2022-24
- Standard Operating Procedure for completion of the Perinatal Review Tool (PMRT) and Terms of Reference - Local Guideline
- Subgaleal Haemorrhage (SGH) - Network guideline 2022-24
- Temperature management including Hypothermia - Network guideline 2022-24

Delivery

- Guideline for the Management of a Baby with Meconium Present at Delivery - Local Guideline
- Labour ward calls - Combined with Network guideline 2022-24
- Resuscitation - Network guideline 2022-24
- Standard Operating Procedure for Neonatal Services at WRH During Theatre Restructuring
- West Midlands In Utero Transfer (IUT) Guideline
- West Midlands Preterm Birth Symptomatic Assessment Pathway

Developmental Care

- Developmental Care - Network guideline with amendments 2022-24
- Environment and Noise - Network guideline 2022-24
- Guideline to Support Developmental Care for Infants Undergoing ROP Screening - Local Guideline
- Guideline to Support Olfactory and Reduce Negative Responses - Local Guideline

- Kangaroo Care - Network guideline with amendments 2022-24
- Neonatal Nappy Rash Pathway for inpatient use Irritant Contact Dermatitis (ICD) - Local Pathway
- Neonatal Skin Care Document - Local Guideline
- Non-Nutritive Sucking (NNS) - Network guideline with amendments 2022-24
- Positioning - Network guideline 2022-24
- Worcester Neonatal Unit Skin Assessment Tool

Endocrine/Metabolism

- Hyperglycaemia - Network guideline 2022-24
- Hyperkalaemia - Network guideline 2022-24
- Hypernatraemic Dehydration - Network guideline 2022-24
- Hypocalcaemia - Network guideline 2022-24
- Hypoglycaemia - Network guideline with amendments 2022-24
- Hypokalaemia - Network guideline 2022-24
- Hypothyroidism - Combined with Network guideline 2022-24
- Inherited Metabolic Disorders (IMD) - Network guideline 2022-24
- Intravenous Fluid Therapy - Network guideline 2022-24
- Medium-Chain Acyl-coadehydrogenase Deficiency (MCADD) - Network guideline with amendments 2022-24
- Metabolic Bone Disease - Network guideline 2022-24
- Nutritional Management of Metabolic Bone Disease Enteral Feeding Guideline
- Thyroid Disease - Network guideline with amendments 2022-24

Gastroenterology

- Ankyloglossia (Tongue-Tie) - Network guideline 2022-24
- Gastro-oesophageal Reflux (GOR) - Network guideline 2022-24
- Liver Dysfunction in Preterm Babies - Network guideline 2022-24
- Management of Neonatal Jaundice - Local guideline
- Necrotising Enterocolitis (NEC) - Network guideline 2022-24
- Phototherapy - Local Guideline

Haematology

- Blood Group Incompatibilities (Including Rhesus Disease) - Network guideline 2022-24
- Coagulopathy - Network guideline 2022-24
- Management of Asymptomatic Neonates at Risk of Thrombocytopenia - Local Guideline
- Polycythaemia - Combined with Network guideline 2022-24
- Thrombocytopenia - Network guideline 2022-24
- Transfusion of red blood cells - Network guideline with amendments 2022-24
- Vitamin K - Network guideline 2022-24

Infection

- BCG - Combined with Network guideline 2022-24
- Conjunctivitis - Network guideline 2022-24
- Diagnosis and Management of Congenital CMV Infection - Local Guideline
- Hepatitis B and C - Network guideline with amendments 2022-24
- Herpes Simplex Virus (HSV) - Network guideline 2022-24
- Human Immunodeficiency Virus (HIV) - Network guideline 2022-24
- Immunisations - Network guideline 2022-24
- Infection (Late Onset) - Network guideline 2022-24
- Infection in first 72 hours of life - Network guideline with amendments 2022-24
- Infection Prevention - Network guideline with amendments 2022-24
- Infections congenital - Network guideline 2022-24
- Kaiser Permanente Sepsis Risk Calculator - Network guideline 2022-24
- Kaiser Permanente Sepsis Risk Flowchart BWH
- Multi Drug Resistant Organism Colonisation (MRSA, ESBL) - Network guideline 2022-24
- Palivizumab - Network guideline 2022-24
- Reducing the Risk of Group B Streptococcal Infection - Local Guideline
- Syphilis - Babies born to Mothers with positive Serology - Network guideline 2022-24
- Tuberculosis (Investigation and Management Following Exposure in Pregnancy) - Network guideline 2022-24
- Varicella - Network guideline 2022-24

Neonatal Community Outreach Service

- Cleaning NCOT equipment/ Decontamination of equipment - Standard Operating Procedure
- Competency for Thermoregulation at Home with Tempa Dots
- Guideline for Capillary Blood Sampling of Neonates at home - Local Guideline
- Guideline for the initial Neonatal Outreach home visit - Local Guideline
- Guideline for the insertion of a Nasogastric tube at home - Local Guideline
- Guideline for the Management of Neonatal Abstinence Syndrome at Home - Local Guideline
- Home Oxygen Therapy for Infants with Chronic Lung Disease - Local Guideline
- Management of Neonatal Jaundice at Home - Local Guideline
- Neonatal Community Outreach Team (NCOT) Service Operational Policy – Local Policy

Neurology

- Abstinence Syndrome - Network guideline 2022-24
- Down Syndrome - Initial Management - Network guideline 2022-24
- Hypotonia (Floppy Baby) - Network guideline 2022-24
- Hypoxic Ischaemic Encephalopathy (HIE) including prep for active cooling- Network guideline 2022-24
- Post Haemorrhagic Ventricular Dilatation - Network guideline 2022-24
- Seizures - Network guideline 2022-24
- Stroke - Network guideline 2022-24
- Upper Limb Birth Injuries Including Brachial Plexus Palsy - Network guideline 2022-24

Nutrition

- Neonatal Infant Feeding Policy
- Bottle Feeding in the Neonatal Unit - Network guideline 2022-24
- Breast Milk Expression - Network guideline with amendments 2022-24
- Breast Milk Handling and Storage - Network guideline with amendments 2022-24
- Breastfeeding - Network guideline with amendments 2022-24
- Enteral Feeding Flowchart - West Midlands Perinatal Network
- Infant Feeding Policy - Local Policy

- Milk Kitchen Standards - Local Guideline
- Neonatal and paediatric guideline for enteral tube insertion - Local Guideline
- Neonatal and paediatric guideline for safe use of enteral tubes - Local Guideline
- Neonatal Nursing Labelling Feeds - Local Guideline
- Neonatal Parenteral Nutrition (PN) Guideline - Local Guideline
- Nutrition and Enteral Feeding – Network guideline with amendments 2022-24
- Progression to Oral Feeding in Preterm babies - Network guideline 2022-24
- Safe use of Sterifeed Milk Safe Box on Neonatal and Transitional Care Unit Standard Operating Procedure
- WMPN Bottle Feeding Assessment Chart

Operational and Escalation

- Cot Management and Escalation - Local Policy
- Cot space checklist
- Operational Policy Neonatal Services - Local Policy
- Perinatal Quality Surveillance Model and Maternity and Neonatal Safety Champion Guideline
- Safe Staffing and Utilisation of Human Resource Escalation Policy - Local Policy

Other

- Neonatal Nursing Preceptorship Competency Framework

Parent Information

- Extended Family & Friends Visiting Nomination Form
- SOP Parent and Carer Accommodation Facilities
- TCU Visiting Information
- Claiming Travel Costs Whilst Your Baby Is in Hospital
- Welcome to the Neonatal Unit

Patient Information Leaflets

- Babies Who May be at Risk of Streptococcus Infection
- Breast Milk Leaflet

- Going Home - Nasogastric Tube Feeding
- Going Home on Oxygen
- Keeping Your Baby Warm at Home
- Nasogastric (NG) Tubes for Neonates
- Neonatal Abstinence Syndrome (NAS)
- Phototherapy at home - for parents/ carers WAHT-PI-0859
- Screening for Retinopathy of Prematurity (ROP)
- Supporting your baby's development - 26-28 weeks gestation
- Supporting your baby's development - 28-30 weeks gestation
- Supporting your baby's development - 30-32 weeks gestation
- Supporting your baby's development - 32-36 weeks gestation
- Supporting your baby's development - less than 26 weeks gestation
- Use of Probiotics in Preterm Infants
- Worcestershire Neonatal Outreach Service

Pharmacology

- Guideline for the Safe Use of Gentamicin in Neonates - Local Guideline
- Neonatal Drug Calculator
- Neonatal Formulary - July 2022
- SOP for the use of Probiotics in Preterm Infants - Local SOP

Practical Procedures

- Arterial Line Insertion - Network guideline with amendments 2022-24
- Arterial Line Sampling - Network guideline 2022-24
- Aseptic Non-Touch Technique Neonates - Local Guideline
- Cannulation - Peripheral - Network guideline with amendments 2022-24
- Chest Drain Insertion - Seldinger Technique - Network guideline with amendments 2022-24
- Chest Drain Insertion - Traditional - Network guideline with amendments 2022-24
- Consent - Network guideline with amendments 2022-24
- Endotracheal Tube (ETT) Suctioning - Network guideline 2022-24
- Exchange Transfusion - Network guideline with amendments 2022-24

- Extravasation Injuries - Network guideline 2022-24
- Growth Monitoring - Network guideline with amendments 2022-24
- Intraosseous Infusion - Network guideline 2022-24
- Intubation - Difficult - Network guideline with amendments 2022-24
- Intubation - Network guideline with amendments 2022-24
- Long Line Insertion (Peripherally Sited) - Network guideline with amendments 2022-24
- Management of Tension Pneumothorax in Neonates - Local Guideline
- Neonatal Difficult Airway Escalation - Local Pathway
- Prostaglandin Infusion - Network guideline with amendments 2022-24
- Skin Biopsy for Inborn Errors of Metabolism - Network guideline 2022-24
- Transillumination of the chest - Network guideline 2022-24
- Umbilical Artery Catheterisation and Removal - Network guideline with amendments 2022-24
- Umbilical Venous Catheterisation and Removal - Network guideline with amendments 2022-24
- Undertaking Capillary Blood Sampling - Local Guideline
- Venepuncture - Network guideline with amendments 2022-24

Renal

- Investigation and Management of Antenatal Diagnosis of Renal Pelvic Dilation - Local Guideline
- Renal Failure - Network guideline 2022-24

Respiratory

- Apnoea and bradycardia - Combined with Network guideline 2022-24
- Chest Physiotherapy - Network guideline 2022-24
- Chronic Lung Disease - Network guideline 2022-24
- Less invasive surfactant administration (LISA) - Local guideline
- Nitric Oxide - Network guideline 2022-24
- Oxygen on Discharge - Network guideline with amendments 2022-24
- Oxygen Saturation Targets - Network guideline 2022-24
- Persistent Pulmonary Hypertension of the Newborn (PPHN) - Network guideline 2022-24

- Pulmonary Haemorrhage - Network guideline 2022-24
- Transcutaneous CO2 and O2 - Network guideline 2022-24
- Ventilation: Continuous Positive Airway Pressure (CPAP) - Network guideline 2022-24
- Ventilation: Conventional - Network guideline 2022-24
- Ventilation: High Frequency Oscillatory Ventilation (HFOV) - Network guideline 2022-24
- Ventilation: High-flow Nasal Cannulae (HFNC) - Network guideline 2022-24
- Ventilation: Synchronous Positive Pressure Ventilation (SIPPV) - Network guideline 2022-24
- Ventilation: Volume-targeted - Network guideline 2022-24
- Ventilator Associated Pneumonia (Prevention) - Network guideline 2022-24

Resuscitaire/Emergency Trolley Checklists

- Neonatal Emergency Trolley - Checklist Delivery Suite
- Resuscitaire Checklist - Alex A&E
- Resuscitaire Checklist - WRH
- Resuscitaire Checklist - WRH A&E
- Resuscitaire Checklist - WRH Antenatal Ward, Meadow & TCU

Screening

- Accessory Digits and Facial Skin Tags in Newborns - Local Guideline
- Antenatal Ultrasound Abnormalities - Network guideline 2022-24
- Bloodspot Screening - Network guideline 2022-24
- Common Problems in well term Neonates on Postnatal Ward - Local Guideline
- Congenital Foot Deformities Local Guideline
- Cranial Ultrasound Scans - Network guideline 2022-24
- Developmental Dysplasia of the Hip (DDH) - Combined with Network guideline 2022-24
- Developmental follow-up of children born preterm -Network guideline with amendments 2022-24
- Disorders of Sexual Development - Network guideline 2022-24
- Hearing Screening - Network guideline with amendments 2022-24
- Retinopathy of Prematurity (ROP) - Network guideline with amendments 2022-24
- Routine Examination of Newborn Babies- Network guideline with amendments 2022-24

- Routine PredischARGE Pulse Oximetry Screening in the newborn - Local Guideline
- Sacral Dimple - Network guideline 2022-24

Surgical Guidelines

- Anorectal Malformation - Network guideline 2022-24
- Broviac Line Insertion - Network guideline 2022-24
- Congenital Diaphragmatic Hernia (CDH) - Network guideline 2022-24
- Exomphalos - Initial Management - Network guideline 2022-24
- Gastroschisis - Network guideline with amendments 2022-24
- Inguinal Hernia - Network guideline 2022-24
- Intra-abdominal Cysts - Network guideline with amendments 2022-24
- Myelomeningocele (MMC) - Network guideline with amendments 2022-24
- Oesophageal Atresia - Network guideline 2022-24
- Oesophageal Perforation - Network guideline 2022-24
- Rectal Washout Using Syringe Method - Network guideline 2022-24
- Re-cycling of Stoma Losses via a Mucus Fistula - Network guideline 2022-24
- Stoma Management (Gastrointestinal) - Network guideline 2022-24

Terms of References

- Maternity and Neonatal Safety Champions